



Cremonesi A-R fix E=15 con bilanciere

			L							Nº	
argento		430	361,5	15	125	360 - 430	116,5	-	20	209370¹⁾	
		660	556,5	15	190	431 - 660	240,5	-	20	209371¹⁾	
		840	736,5	15	300	661 - 840	190,5	1	20	209372	
								-	20	209590	
		1090	986,5	15	400	841 - 1.090	260,5	1	20	209373	
		1340	1.236,5	15	500	1.091 - 1.340	260,5	1	20	209375	
		1590	1.486,5	15	600	1.341 - 1.590	260,5	1	20	209377	
		1700	1.596,5	15	700	1.591 - 1.700	260,5	1	10	209379	
		1950	1.846,5	15	1.050	1.701 - 1.950	260,5	1	10	209383	
		2200	2.096,5	15	1.050	1.951 - 2.200	260,5	1	10	209385	
		2450	2.346,5	15	1.050	2.201 - 2.450	260,5	1	10	209387	
		con scrocco porta	1950	1.846,5	15	1.050	1.701 - 1.950	260,5	1	10	209382
			2200	2.096,5	15	1.050	1.951 - 2.200	260,5	1	10	209384
	2450		2.346,5	15	1.050	2.201 - 2.450	260,5	1	10	209386	


¹⁾ Per l'avvitamento del frontale usare il fermo per frontale (cod. 213287)

Tabella posizionamento viti


Nº		1	2	3	4	5	6	7	8	9	10	11	12	13	14
209370	1	18,5													
209371	2	18,5	91,5												
209372	3	18,5	91,5	429											
209590	3	18,5	91,5	429											
209373	5	18,5	91,5	228,5	474	617									
209375	6	18,5	91,5	328,5	574	685	868,5								
209377	9	18,5	91,5	270	360	428,5	674	830	920	1.119					
209379	9	18,5	91,5	270	360	528,5	774	930	1.020	1.229					
209383	11	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465			
209385	12	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465	1.729		
209387	14	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465	1.685	1.875	1.965
209382	11	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465			
209384	12	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465	1.729		
209386	14	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465	1.685	1.875	1.965




Tabella punti di chiusura

N°		Z1	Z2	Z3	Z4	
209370	0					
209371	0					
209372	1	395				
209590	1	395				
209373	1	540				
209375	1	640				
209377	2	315	875			
209379	2	315	975			
209383	3	315	750	1.420		
209385	3	315	750	1.420		
209387	4	315	750	1.420	1.920	
209382	3	315	750	1.420		
209384	3	315	750	1.420		
209386	4	315	750	1.420	1.920	


Disegni tecnici




209371




209372




209373




209377




209383



209387



209382



209386